

Interior Mull Configurations for Clad Products

<u>Unit Description</u>	<u>Jamb Depth</u>	<u>Interior Mull</u>	<u>Step Jambed</u>
Casement to Casement	4 9/16	2 1/4"	No
Casement to C2NF	4 9/16	None	Yes
Casement to Radius Unit	4 9/16	None	Yes
Rep. Casement to Rep. Casement		None	No
Double Hung to Double Hung	4 9/16	None	No
Double Hung to C2NF	4 9/16	None	No
Double Hung to Radius Unit	4 9/16	None	No
Rep. Double Hung to Rep. Double Hung	3 1/8	None	No
C2NF to C2NF	4 9/16	None	No
C2NF to Radius Unit	4 9/16	None	No
Rep. C2NF to Rep. Double Hung	3 1/8	None	No
Radius Unit to Radius Unit	4 9/16	None	No
Csmt. Radius Unit to Csmt. Radius Unit	4 9/16	2 1/4"	No
Outswing Door to C2NF	4 9/16"	None	No
Outswing Door to Radius Unit	4 9/16"	None	No
Outswing Door to Casement	4 9/16"	None	Yes
<hr/>			
Casement to Casement	6 9/16	2 1/4"	No
Casement to C2NF	6 9/16	None	Yes
Casement to Radius Unit	6 9/16	None	Yes
Double Hung to Double Hung	6 9/16	1 5/16"	No
Double Hung to C2NF	6 9/16	1 5/16"	No
Double Hung to Radius Unit	6 9/16	1 5/16"	No
C2NF to C2NF	6 9/16	1 5/16"	No
C2NF to Radius Unit	6 9/16	1 5/16"	No
Radius Unit to Radius Unit	6 9/16	1 5/16"	No
Csmt. Radius Unit to Csmt. Radius Unit	6 9/16	2 1/4"	No
Outswing Door to C2NF	6 9/16	1 5/16"	No
Outswing Door to Radius Unit	6 9/16	1 5/16"	No
Outswing Door to Casement	6 9/16	None	Yes
Any Unit Above a Inswing Door	4 9/16 - 6 9/16	None	
Units With a 1" Mull Gap	4 9/16	None	
Units With a 1-1/4" Mull Gap	4 9/16	None	
Units using any sized Spread Mull	3 1/8 - 7 9/16	None	
Units With a 1" Mull Gap	5" - 7 9/16	2 1/4"	
Units With a 1-1/4" Mull Gap	5" - 7 9/16	2 1/4"	

Step Jambes only apply to the casement family of products. No other products use a step jamb.